

## BAKARNI SUŠAČI

603FR002 15GR - 6X2

603FR003 20GR - 6X2

603FR004 30GR - 6X2

603FR006 50GR - 6X6



## VENTIL SA IGLICOM

610FR029 VENTIL SOLO

610FR012 VENTIL SA NASTVKOM

· Muški navoj 1/4"



## NASTAVAK ZA AUTO KLIME

609FR218 CRVENI

609FR219 PLAVI



## BRENER ZA MAPP GAS

608FR083 T-B



## ALAT ZA PERTLOVANJE FT-525AF

609FR169

FT-525

· ALAT ZA PERTLOVANJE CEVI



## ALAT ZA PERTLOVANJE I PROŠIRAVANJE CEVI

609FR444

FC-275A



## ALAT ZA PERTLOVANJE - EKSCENTRICNI

608FR084

CT806A



## VIRBLA FC-122

609FR248

FC-122



## SEČICE ZA KAPILARU

609FR183

PTC-01



## NOŽ ZA SEČENJE CEVI 7-41mm

609FR177

M312FB

· Nož za sečenje bakarnih cevi



## NOŽ ZA SEČENJE CEVI 4-28mm

609FR175

M274FB

· Nož za sečenje bakarnih cevi



## NOŽ ZA SEČENJE CEVI 4-16mm

609FR173

M127FB

· NOŽ ZA SEČENJE BAKARNIH CEVI



## ALAT ZA EKSPANDIRANJE CEVI

608FR085

FC-100

- Glave od 10mm do 28 mm
- Nož 7-42mm
- Alat za čišćenje cevi
- Plastični kofer



## GLAVA EKSP

607FR005

F28

608FR087

F32

608FR088

F35

608FR133

F42



## SET OGLEDALO-MAGNET

609FR265



## ALAT ZA ISPRAVLJANJE LAMELA

609FR216

FC-351



## ALAT ZA SAVIJANJE CEVI - 90°

609FR224

F6-F10mm



## ALAT ZA SAVIJANJE CEVI - 180°

608FR093

F6-F10mm



## OPRUGA ZA SAVIJANJE CEVI

608FR090

F8

609FR235

F10



## ALAT ZA SAVIJANJE CEVI - PROFI

608FR094

F6

608FR095

F8

608FR096

F10

608FR097

F12



## REDUCIR - PRIKLJUČAK SA VENTILOM ZA BOCU R600

608FR247

FC-CH- 340



FC-340

## VENTIL ZA BOCU R600

611FR310

FC-337



## VENTIL ZA BUŠENJE CEVI PV-341

610FR180

PV-341

· Za cevi do Ø8



## VENTIL ZA BUŠENJE CEVI PV-1

610FR031

PV-1

· Za cevi Ø6 i Ø8



## REDUCIR - PRIKLJUČAK SA VENILOM

608FR289

FC-338



## SET ADAPTERA I NASTAVAKA

610FR175

FC-01A - CH135

610FR176

FC-01B -CH138



FC-01B

FC-01A

## VENTIL ZA IZJEDNAČAVANJE PRITISKA U KOMORI

611FR327

FC-110

611FR326

FC-220



FC-110



FC-220

## TROKRAKI VENTIL ZA KLIMA UREDJAJ

611FR347

DSF-9

ZA KLIME 9-12.000 BTU/h

611FR348

DSF-11

ZA KLIME 12-18.000 BTU/h

611FR364

DSF-20

ZA KLIME 18-24.000 BTU/h



DSF-9



DSF-20

VENTIL SE ISPORUČUJE U KOMPLETU SA ŠPULNOM

## PRIKLJUČNI VENTIL KLIMU

611FR355	FC-602 - FI6
----------	--------------

611FR356	FC-602 - FI10
----------	---------------

611FR357	FC-602 - FI12
----------	---------------



## MIKROPREKIDAČ ZA KONTROLU PRITISKA

611FR358	LPS-1020	0,7 - 1,37 bar
----------	----------	----------------

611FR359	LPS-250150	17,3 - 10,3 bar
----------	------------	-----------------

611FR360	LPS-300200	20,7 - 13,8 bar
----------	------------	-----------------



A type

## MANOMETARSKA BATERIJA

609FR061	R22-407-410
----------	-------------

609FR065	R12-22-502
----------	------------

609FR067	R22-134-404-407
----------	-----------------



FC-101

## MANOMETAR ZA PANELNU MONTAZU VP

609FR283	R12-22-502
----------	------------

609FR282	R22-134-404-407
----------	-----------------



FC-401



## REDUCIR ZA FREON 410

609FR355

FC-00A

1/4" M - 5/16" F STANDARDNI REDUCIR

609FR396

FC-00B

1/4" F - 5/16" M KONTRA REDUCIR



## RAČVA T - 1/4"

707FR052

UT-04

· Navoj 1/4" sae



## NASTAVAK - DUPLI NIPL 1/4"

609UN053

U-04

· Navoj 1/4" sae



## KUGLACTI VENTILI

608FR296

BC-01

1/4" M X 5/16" F

ŽENSKI NAVOJ STANDARDAN  
MUŠKI ODGOVARA ZA R410

608FR297

BC-02

5/16" M X 1/4" F

ŽENSKI NAVOJ ODGOVARA ZA R410  
MUŠKI NAVOJ STANDARDAN

608FR298

BC-03

1/4" M X 1/4" F

STANDARDNI NAVOJ



## DETEKTOR CURENJA FREONA

609FR215

HLD-100

- Detektor curenja freona
- Pogodan za detekciju CFC, HCFC i HFC freona
- Savitljiva sonda dužine 35,5cm



## DETEKTOR CURENJA FREONA

609FR450

HLD-101/WJL-6000

- Detektor curenja freona
- Pogodan za detekciju CFC, HCFC i HFC freona
- Savitljiva sonda dužine 20cm



## DETEKTOR CURENJA FREONA

609FR449

HLD-102/200

- Detektor curenja freona
- Pogodan za detekciju CFC, HCFC i HFC freona
- Savitljiva sonda dužine 30cm
- Aluminijumski kofer



## ANEMOMET

609FR376

AM-4836V



## DIGITALNA VAGA 70KG FAVORCOOL

608FR099

RSC-7010

- Digitalna vaga za merenje freona
- Rezolucija 5/10g



## VAKUM PUMPA

609FR313

VP 115

42 LITRA U MINUTU - JEDNOSTEPENA

609FR035

VP 125

80 LITARA U MINUTU - JEDNOSTEPENA

609FR215

VP 215

42 LITRA U MINUTU - DVOSTEPENA

609FR036

VP 225

80 LITARA U MINUTU - DVOSTEPENA



## TRAKA ZA KLIMU

608FR135

BANDAZ TRAKA 50MM X 18M - BELA

608FR124

LEPLJIVA TRAKA 50MM X 18M- BELA



## ARMAFLEKS TRAKA

608FR136

3MM X 50 MM



## VEZICE

701UN056 4x200

701UN059 4x300

701UN114 5x200

701UN115 5x300

701UN116 5x400



## GREJAČ U KABLU

610FR187 4M - 160W

610FR178 5M - 200W

610FR179 6M - 240W

610FR170 7M - 280W



## PREKIDAČI

417UN010 USKI SA TINJALICOM

417UN011 USKI BEZ TINJALICE

417UN015 ŠIRI SA TINJALICOM

417UN013 DUPLI SA TINJALICOM



## TERMOSTAT PRODIGY -30 +30

602FR021

FC-F2000

E303 FT036




## TERMOSTAT FRIŽIDERA K50

602FR001

K50 P1110

VC-1

- Termostat frižidera
- Standardna kapilara
- Set u kutiji




## TERMOSTAT KOMBINACIJE K59 VT9

602FR007

K59 L1102

VT-9

- Termostat kombinovanog frižidera
- Standardna kapilara
- Set u kutiji



## TERMOSTAT ZAMRZIVAČA K54

602FR055

K54

KRATKA KAPILARA


VS-5

602FR041

K54

DUGA KAPILARA

- Termostat zamrzivača
- Set u kutiji




## TERMOSTAT FRIŽIDERA K60

602FR011

K60 P1013

VP-4

- Termostat frižidera sa iglicom
- Standardna kapilara
- Set u kutiji



## TPM - 10

602FR030 TPM - 2



## DT - 1

602FR024

- dve temperature



## DT - 3

602FR025

- dve temperature  
- temperatura okruženja  
- temperatura sonde  
+ vlažnost okruženja



## ST-50

611FR345



## TPM - 900

602FR031



## RF-221

611FR346



## WT - 1

602FR029

- ubodni termostat



## WT - 2

602FR049



## DRT-2010 TERMOSTAT

602FR050

- LCD displej
- Opcija programiranja



## T200 TERMOSTAT

611FR363

- Izbor režima grejanje/hladjenje
- On/Off
- Tri brzine



## T201 TERMOSTAT

611FR362

- Izbor režima grejanje/hladjenje
- On/Off
- Tri brzine



## T202 TERMOSTAT


611FR361





## KT - 109 II

608FR146



## KT - 508

608FR138



## KT - 518

608FR139



## KT-N 828

608FR270



## Elektronika za klime

608FR230 ZL-U10A



## Elektronika za klime


608FR229 ZL-U02B






**80x80x25**

606FR029




**80x80x38**

606FR048




**90x90x25**

606FR031




**90x90x38**

606FR060




**120x120x25**

606FR033



**120x120x38**

606FR049



**MREŽICA 8 x 8**

601FR086

5 prstena



**MREŽICA 9 x 9**

601FR088


6 prstena



**MREŽICA 12 x 12**

601FR089

7 prstena



**MREŽICA 12 x 12**

601FR087

plastična



## ROTOLOK VENTILI

611FR337	Rv003	VS-06	ZA CEV Ø12 - NAVOJ 1"
611FR338	Rv009	VS-09	ZA CEV Ø16- NAVOJ 1-1/4"
611FR341	Rv010	VS-04	ZA CEV Ø18 - NAVOJ 1-1/4"
611FR342	Rv007	VS-05	ZA CEV Ø22 - NAVOJ 1-1/4"
611FR344	Rv013	VS-08	ZA CEV Ø28- NAVOJ 1-1/4"
611FR339	Rv016	VS-02	ZA CEV Ø28 - NAVOJ 1-3/4"



## CREVA ZA ELIMINISANJE VIBRACIJA

611FR204	Dh1 Fi10	VIBRACIONO CREVO Ø10
611FR205	Dh2 Fi12	VIBRACIONO CREVO Ø12
611FR206	Dh3 Fi16	VIBRACIONO CREVO Ø16
611FR207	Dh4 Fi18	VIBRACIONO CREVO Ø18
611FR208	Dh5 Fi22	VIBRACIONO CREVO Ø22
611FR209	Dh6 Fi28	VIBRACIONO CREVO Ø28
611FR210	Dh7 Fi10	VIBRACIONO CREVO Ø35

## KONDEZATORI CD SERIJE

614FR074	CD-2	0,8KW pri $\Delta T15$
615FR074	CD-3,4	1,4KW pri $\Delta T15$
614FR050	CD-4,4	1,8KW pri $\Delta T15$
614FR062	CD-5,4	2,2KW pri $\Delta T15$
614FR063	CD-7	2,8KW pri $\Delta T15$
614FR064	CD-8,4	3,2KW pri $\Delta T15$
615FR075	CD-11,5	5KW pri $\Delta T15$
615FR076	CD-15	6KW pri $\Delta T15$
615FR077	CD-18	7,3KW pri $\Delta T15$
615R080	CD-21	7,9KW pri $\Delta T15$
615FR078	CD-22	8,9KW pri $\Delta T15$
615FR079	CD-25	11,4KW pri $\Delta T15$
615FR081	CD-28	12,8KW pri $\Delta T15$
615FR095	CD-33	15,1KW pri $\Delta T15$
615FR082	CD-36	17KW pri $\Delta T15$
615FR083	CD-43	19,9KW pri $\Delta T15$
615FR084	CD-48	24,5KW pri $\Delta T15$
615FR085	CD-55	25,9KW pri $\Delta T15$
615FR086	CD-70B	27,6KW pri $\Delta T15$
615FR087	CD-80B	31,7KW pri $\Delta T15$
615FR088	CD-100B	39,9KW pri $\Delta T15$
615FR089	CD-130B	53,5KW pri $\Delta T15$



## RISIVER BOCE

611FR182	AKC 333	3 LITARA SA ROTALOK VENILOM
611FR183	AKC 433	4,1 LITARA SA ROTALOK VENILOM
611FR184	AKC 644	5,6 LITARA SA ROTALOK VENILOM
611FR185	AKC 844	7,6 LITARA SA ROTALOK VENILOM
611FR186	AKC 1055	9,6 LITARA SA ROTALOK VENILOM
611FR187	AKC 1455	14 LITARA SA ROTALOK VENILOM
611FR187	AKC 3511	35 LITARA BEZ ROTALOK VENTILA



## KOMPRESOR ZA KLIMU

ŠIFRA	MODEL	PRIMENA	FREON
613FR154	2K22S225BUA	ZA KLIME 12.000 BTU/h	R22
613FR155	5PS132EAA22	ZA KLIME 12.000 BTU/h	R410
613FR152	2V32S225AUA	ZA KLIME 18.000 BTU/h	R22
613FR146	5VS245EAA21	ZA KLIME 18.000 BTU/h	R410
613FR153	2V42S225AUA	ZA KLIME 24.000 BTU/h	R22
613FR148	5VS295EAA21	ZA KLIME 24.000 BTU/h	R410

# Panasonic



## KOMPRESOR ZA KLIMU



ŠIFRA	MODEL	PRIMENA	FREON
613FR145	QJ208HCA	ZA KLIME 12.000 BTU/h	R22



## VODENI IZMENJIV

615FR097 SR-BA-024-H 7KW

615FR096 SR-BA-036-H 10,6KW


615FR098 SR-BA-048-H 12,3KW



## ISPARIVAČ FAVOR EVS-130

614FR093 EVS-130


- Isparivač FAVOR
- Rashladnog kapaciteta 0,85KW pri 0°C~ΔT8
- Korak lamele - 9mm
- Površina lamela - 3,8m<sup>2</sup>
- Dimenzije A=610mm - B=152mm - C=435mm
- Ventilator = 2 X Ø200
- Protok vazduha 820m<sup>3</sup>/h
- Grejač otapanja- Da



## ISPARIVAČ FAVOR EVS-180

614FR094 EVS-180

- Isparivač FAVOR
- Rashladnog kapaciteta 1,3KW pri 0°C~ΔT8
- Korak lamele - 9mm
- Površina lamela - 3,8m<sup>2</sup>
- Dimenzije A=1110mm - B=152mm - C=435mm
- Ventilator = 3 X Ø200
- Protok vazduha 1230m<sup>3</sup>/h
- Grejač otapanja- Da



## ISPARIVAČ FAVOR EVS-290

614FR095 EVS-290

- Isparivač FAVOR
- Rashladnog kapaciteta 1,8KW pri 0°C~ΔT8
- Korak lamele - 9mm
- Površina lamela - 7,7m<sup>2</sup>
- Dimenzije A=1110mm - B=152mm - C=435mm
- Ventilator = 3 X Ø200
- Protok vazduha 1230m<sup>3</sup>/h
- Grejač otapanja- Da

